

# MATERIAL SAFETY DATA SHEET

Page 1

Forbo Industries, Inc., P.O. Box 667, Hazelton, PA. 18201

24-Hour Emergency Telephone: (800) 424-9300

---

## SECTION 1. PRODUCT IDENTIFICATION

---

PRODUCT NAME: FORBO L-910 Linoleum Adhesive

CHEMICAL FAMILY: Water Base Adhesive

---

## SECTION 2. HAZARDOUS INGREDIENTS AND EXPOSURE LIMITS

---

<u>Chemical Name</u>	<u>CAS Number</u>	<u>% by Weight</u>	<u>ACGIH TLV</u>	<u>OSHA PEL</u>
Not hazardous as defined by OSHA 29 CFR 1910.1200.				

---

## SECTION 3. HAZARDS IDENTIFICATION

---

PRIMARY ROUTES OF ENTRY: Eyes.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: None known.

POTENTIAL HEALTH EFFECTS:

EYE CONTACT: May cause slight irritation.

SKIN CONTACT: No effect known.

INGESTION: Not likely to occur. If swallowed, no side effects known.

INHALATION: No effect known.

CHRONIC: None known.

CARCINOGENICITY: This product contains no ingredient listed as a carcinogen by IARC, NTP, or OSHA.

---

## SECTION 4. FIRST AID MEASURES

---

EYE CONTACT: Flush with water for 15 minutes. Contact a physician if irritation occurs.

SKIN CONTACT: Wash with soap and water.

INGESTION: Induce vomiting, contact a physician.

---

## SECTION 5. FIRE-FIGHTING MEASURES

---

FLASH POINT (°)F: None.

LOWER FLAMMABLE LIMIT: None.

UPPER FLAMMABLE LIMIT: None.

FIRE-FIGHTING INSTRUCTIONS: Use protective clothing and self-contained breathing apparatus.

EXTINGUISHING MEDIA: Water fog, CO<sub>2</sub>, dry chemical, and chemical foam.

DECOMPOSITION PRODUCTS: Dried material may produce CO, CO<sub>2</sub>, N<sub>x</sub>O, and other products from the burning of aromatic hydrocarbons.

# MATERIAL SAFETY DATA SHEET

Page 2

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

---

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Dispense sand, sawdust, or vermiculite. Collect and place in waste container. Wash area thoroughly with water.

---

## SECTION 7. HANDLING AND STORAGE

---

HANDLING: Use good hygienic practices. (Wash hands before eating, using washroom, or smoking.) Keep out of the reach of children.

STORAGE: Store above 40°F.

---

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

PERSONAL PROTECTIVE EQUIPMENT:

EYE/FACE PROTECTION: Wear splash goggles if contact with material is likely.

SKIN PROTECTION: Wear gloves if contact with material is likely.

RESPIRATORY PROTECTION: Not normally required with good ventilation.

ENGINEERING CONTROLS: Normal room ventilation.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

---

BOILING POINT (°F): 212

SPECIFIC GRAVITY (WATER = 1): 1.1

VAPOR PRESSURE: Same as water.

VAPOR DENSITY (air=1): Same as water.

% VOLATILE BY WEIGHT: 36

pH: 10.0

APPEARANCE AND ODOR: Light tan colored paste with little or no odor.

GRAMS VOLATILE ORGANIC COMPOUNDS/LITER OF COATING: 0 (Based on no solvent.)

GRAMS VOLATILE ORGANIC COMPOUNDS/LITER OF MATERIAL: 0 (Based on no solvent.)

---

## SECTION 10. STABILITY AND REACTIVITY

---

CHEMICAL STABILITY: Stable.

POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: None known.

HAZARDOUS DECOMPOSITION PRODUCTS: None.

---

## SECTION 11. TOXICOLOGICAL INFORMATION

---

This product has been tested for toxicity (acute inhalation; acute dermal; skin irritation; oral) and has been found to be non-toxic as defined by The Federal Hazardous Substance Act, 16 CFR 1500.3.

